


Algorithm for High-Risk Well-Appearing Febrile Infant: 61-90 days of age, temp  $\geq 38\text{C}^*$ **Footnotes:**

\* AAP does not include infants age  $> 60$  days or high-risk

## Algorithm for High-Risk Well-Appearing Febrile Infant: 61-90 days of age, temp $\geq 38\text{C}^*$

### Exclusion criteria

1. Infants who have received immunizations within the last 48 hrs
2. Infants with clinical bronchiolitis, with or without positive tests for RSV
3. Infants with COVID-19



**Consult Pediatrics**

### Inclusion criteria

Infants 61-90 days of age\*, well-appearing, temp  $\geq 38\text{C}$  AND one of the following:

1. Premature infants  $< 37$  wks gestational age
2. Infants with documented or suspected immune compromise
3. Infants whose neonatal course was complicated by surgery or infection.
4. Infants with congenital or chromosomal abnormalities
5. Medically fragile infants requiring some form of technology or ongoing therapeutic intervention to sustain life

## CA FIRST Protocol v2.2

### Supplemental Information

### Footnotes

\* AAP does not include infants age  $> 60$  days or high-risk

### Abbreviations

1. Cath: catheter
2. CBC: complete blood count
3. LP: lumbar puncture
4. RSV: respiratory syncytial virus
5. UA: urinalysis
6. UCx: urine culture
7. UTI: urinary tract infection
8. Pabx: parenteral antibiotics